Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

California Report for the Week Ended June 16, 1917.

The California State Board of Health reported concerning the status of preventable diseases in California for the week ended June 16, 1917, as follows: A case of typhus fever was notified at Los Banos, Merced County, June 16. A case of leprosy was notified at Weed, Siskiyou County. Measles, mumps, and scarlet fever showed great reduction in the numbers of cases. Two cases of poliomyelitis were reported in Los Angeles. Alameda had one case of smallpox. Of diphtheria and typhoid fever, 18 cases each were notified in the State during the week.

The details of notifiable disease cases reported in the State during the week ended June 9 are as follows:

Cerebrospinal meningitis	3	Pneumonia	24
Chicken pox	94	Poliomyelitis	1
Diphtheria	40	Ophthalmia neonatorum	2
Erysipelas	6	Scarlet fever	95
German measles	58	Smallpox	8
Gonococcus infection	38	Syphilis	14
Leprosy	1	Trachoma	2
Malaria	12	Tuberculosis	108
Measles	467	Typhoid fever	18
Mumps	167	Whooping cough	45

ANTHRAX.

State Reports for May, 1917.

During the month of May, 1917, 12 cases of anthrax were reported in Massachusetts and one case in New Jersey.

CEREBROSPINAL MENINGITIS.

State Reports for May, 1917.

Place.	New cases reported.
District of Columbia	6
Maryland:	
Baltimore city	40
Baltimore County—	
Sparrows Point, R. D	3
Total	43
Massachusetts:	
Berkshire County—	
North Adams	1
Pittsfield	4
Essex County—	
Lynn	1
Middlesex County—	
Belmont (town)	1
Cambridge	2
Lowell	4
Waltham	1
Suffolk County—	
Boston	7
Chelsea	1
Revere	1
Total	23
South Dakota:	
Grant County	1
Ziebach County	1
Total	2
West Virginia:	
Greenbrier County	1
Ohio County—	
Wheeling	1
Total	2
Wisconsin:	
Clark County	1
Kenosha County	1
Manitowoc County	1
Milwaukee County	12
Rusk County	1
Washburn County	1
Waukesha County	5
Wood County	2
Total	24

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.
Akron, Ohio	5	
Baltimore, Md	10	3
Boston, Mass	2	
Buffalo, N. Y	2	
Butler, Pa	1	
Canton, Ohio	2	
Chelsea, Mass	1	
Chicago, Ill	10	8
Cleveland, Ohio	8	6
Columbus, Ohio	1	1
Detroit, Mich	7	1
Duluth, Minn	1	1
Fort Wayne, Ind	1	2
Hartford, Conn	6	1
Jersey City, N. J		3
Kansas City, Mo	3	
Lowell, Mass		2
Madison, Wis		1
Milwaukee, Wis	6	4
Minneapolis, Minn	3	
Montclair, N. J	1	
Nashville, Tenn		1
Newark, N. J	1	
New Britain, Conn	2	1
New Haven, Conn	1	
New York, N. Y	15	6
Niagara Falls, N. Y	1	1
Omaha, Nebr	1	
Philadelphia, Pa	19	12
Pittsburgh, Pa	6	2
Pittsfield, Mass	2	1
Portland, Me		1
Racine, Wis		2
Rochester, N. Y	2	
St. Louis, Mo	6	2
San Francisco, Cal	1	1
Toledo, Ohio	1	
Troy, N. Y		1
Waltham, Mass		1
Washington, D. C	1	1
Wichita, Kans	1	

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, p. 996.

ERYSIPELAS.

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio	1		Lorain, Ohio	1	
Ann Arbor, Mich	1		Los Angeles, Cal	2	
Baltimore, Md	1	1	Malden, Mass		1
Binghamton, N. Y	1	1	Memphis, Tenn	6	
Boston, Mass		4	Milwaukee, Wis	3	
Braddock, Pa	1		Morristown, N. J	1	
Buffalo, N. Y	7	1	Newark, N. J	11	
Camden, N. J	1		New London, Conn	1	
Chelsea, Mass		2	New York, N. Y		5
Chicago, Ill	19	5	Philadelphia, Pa	12	2
Cincinnati, Ohio	1		Pittsburgh, Pa	8	
Cleveland, Ohio	7	2	Pontiac, Mich	1	
Denver, Colo	3		Portland, Me		1
Detroit, Mich	4	2	Providence, R. I		1
Duluth, Minn	1		Racine, Wis	1	
El Paso, Tex		1	Reading, Pa	1	
Flint, Mich	1		Rochester, N. Y	1	
Hartford, Conn	2		Rutland, Vt	1	
Kansas City, Mo	1		St. Joseph, Mo	1	1
Lancaster, Pa	1		St. Louis, Mo	15	2
Lexington, Ky	1		San Francisco, Cal	1	

MALARIA.

State Reports for May, 1917.

Place.	New cases reported.	Place.	New cases reported.
Maryland:		Massachusetts:	
Caroline County—		Middlesex County—	
Smithsville (R. D.)	1	Cambridge	1
Charles County—		Newton	1
Berry	1	Wellesley (town)	1
Marshall Hall	1	Norfolk County—	
Chapel Point	1	Canton (town)	1
White Plains	1	Plymouth County—	
Prince Georges County—		Hull (town)	1
Townshend (R. D.)	1		
Total	6	Total	5

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala	3	1	Morristown, N. J	1	
Cairo, Ill		1	Richmond, Va	1	
Los Angeles, Cal	2				

MEASLES.

California—Los Angeles.

Senior Surg. Brooks reported that during the week ended June 9, 1917, 128 cases of measles were notified in Los Angeles, Cal.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 996.

PELLAGRA.

State Reports for May, 1917.

Place.	New cases reported.
District of Columbia	1
Massachusetts:	
Suffolk County—	
Boston	1
West Virginia:	
McDowell County	1

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala	1		New Orleans, La	1	4
Lexington, Ky		2	Washington, D. C		1
Mobile, Ala		3	Wichita, Kans	2	
Nashville, Tenn		1	Winston-Salem, N. C		1

PLAGUE.

California—San Francisco County—Plague-Infected Squirrel Found.

Passed Asst. Surg. Williams reported that a ground squirrel found May 21, 1917, 1 mile from Glen Park, San Francisco County, Cal., was proved plague-infected May 31, 1917.

Hawaii—Paauhau—Plague-Infected Rat Found.

Surg. Trotter reported that on June 13, 1917, a plague-infected rat was found at Paauhau, Hawaii.

PNEUMONIA.

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Altoona, Pa	1		Lancaster, Pa	3	
Baltimore, Md	5	17	Lincoln, Nebr	1	1
Beaver Falls, Pa	1		Lorain, Ohio	2	
Binghamton, N. Y	12	5	Los Angeles, Cal	10	6
Boston, Mass	25	34	Lowell, Mass	5	6
Braddock, Pa	3		Malden, Mass	1	
Brockton, Mass	2		Nashville, Tenn	2	2
Brookline, Mass	1		Newark, N. J	56	15
Cambridge, Mass	2	2	New Bedford, Mass	2	2
Chelsea, Mass	2		New Castle, Pa	2	
Chicago, Ill	175	126	Newport, Ky	2	2
Chicopee, Mass	1	1	Newton, Mass	2	2
Cincinnati, Ohio	1	3	North Adams, Mass	1	
Cleveland, Ohio	32	26	Pasadena, Cal	2	1
Clinton, Mass	5	1	Philadelphia, Pa	71	42
Dayton, Ohio	1		Pittsburgh, Pa	38	36
Detroit, Mich	13	34	Reading, Pa	1	1
Dubuque, Iowa	5	5	Rochester, N. Y	8	
Duluth, Minn	10	5	San Francisco, Cal	7	8
Everett, Mass	1	1	San Jose, Cal	1	
Fall River, Mass	4	1	Schenectady, N. Y	1	
Fitchburg, Mass	2		Somerville, Mass	1	2
Flint, Mich	4	1	Springfield, Mass	3	3
Grand Rapids, Mich	4	3	Steelton, Pa	1	
Haverhill, Mass	2		Taunton, Mass	1	1
Jackson, Mich	2	1	Toledo, Ohio	1	6
Johnstown, Pa	1	1	Waltham, Mass	1	
Kalamazoo, Mich	2	1	Wichita, Kans	1	
Kansas City, Mo	2	18			

POLIOMYELITIS (INFANTILE PARALYSIS).

State Reports for May, 1917.

Place.	New cases reported.
Maryland:	
Dorchester County—	
Lakesville	1
Massachusetts:	
Essex County—	
Middleton (town)	1
Salisbury (town)	1
Hampden County—	
Chicopee	1
Palmer (town)	1
Springfield	1
Middlesex County—	
Everett	1
Malden	1
Norfolk County—	
Quincy	1
Suffolk County—	
Boston	1
Total	9
New Hampshire:	
Hillsboro County—	
Nashua	1
South Dakota:	
Day County	1
Jones County	1
Total	2
West Virginia:	
Kanawha County	1
Wisconsin:	
Douglas County	1
Milwaukee County	2
Rock County	1
Shawano County	1
Total	5

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicopee, Mass	1	1	New York, N. Y	5	3
Cleveland, Ohio	2	.....	Orange, N. J	1	1
Columbus, Ohio	1	.....	Portsmouth, N. H	1	.....
Everett, Mass	.....	1	St. Louis, Mo	1	.....
Milwaukee, Wis	1	.....	Trenton, N. J	1	.....
Montclair, N. J	1	.....			

RABIES IN MAN.

City Report for Week Ended June 2, 1917.

During the week ended June 2, 1917, 1 death from rabies in man was reported in Norfolk, Va.

RABIES IN ANIMALS.

Oklahoma—Okmulgee.

Asst. Surg. Slaughter reported that during the two weeks' period ended June 16, 1917, four cases of rabies in dogs were reported in Okmulgee, Okla. Three of the cases were confirmed by laboratory examination.

City Reports for Week Ended June 2, 1917.

During the week ended June 2, 1917, 3 cases of rabies in animals were reported in Buffalo, N. Y., 3 cases in Detroit, Mich., and 1 case in Niagara Falls, N. Y.

ROCKY MOUNTAIN SPOTTED FEVER.

Nevada—Humboldt County.

The Nevada State Board of Health reported that on June 13, 1917, three cases of Rocky Mountain spotted fever were notified in Humboldt County, Nev.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 996.

SMALLPOX.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended June 16, 1917, three new foci of smallpox were reported in Minnesota, cases of the disease having been notified as follows: Hennepin County, Hopkins 1, Plymouth Township 1, Wayzata 2.

Minnesota—Duluth—Virulent Smallpox.

Collaborating Epidemiologist Bracken reported that during the period from June 11 to 19, 1917, 27 severe cases of smallpox, with 7 deaths, were reported at Duluth, Minn.

State Reports for May, 1917.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
District of Columbia	2				2	
Maryland:						
Baltimore County—						
Sparrows Point	3				3	
Washington County—						
Hagerstown	1				1	
Big Pool	2				2	
Total	6				6	
Massachusetts:						
Worcester County—						
Fitchburg	2			1	1	
Shrewsbury (town)	1			1		
Webster (town)	2				2	
Worcester	22	4	1	11	9	1
Total	27	4	1	13	12	1
Vermont:						
Chittenden County	1				1	
Franklin County	1				1	
Washington County	33			2	31	
Windham County	2				2	
Total	37			2	35	

SMALLPOX—Continued.

Miscellaneous State Reports.

Place.	Cases.	Deaths.
New Hampshire (May 1-31):		
Merrimack County—		
Concord	1	
South Dakota (May 1-31):		
Davison County	10	
Day County	3	
Faulk County	5	
Hand County	2	
Hughes County	15	
Jerauld County	3	
Lake County	15	
Lawrence County	1	
Miner County	5	
Minnehaha County	1	
Sully County	7	
Walworth County	14	
Yankton County	1	
Total	82	
West Virginia (May 1-31):		
Barbour County	1	
Fayette County	1	
Hancock County	5	
McDowell County	1	
Marshall County	7	
Marion County	1	
Mercer County	1	
Mingo County	2	
Morgan County	1	
Tucker County	1	
Total	21	
Wisconsin (May 1-31):		
Ashland County	1	
Brown County	1	
Calumet County	2	
Chippewa County	13	
Clark County	5	
Columbia County	3	
Dane County	6	
Douglas County	1	
Eau Claire County	2	
Fond du Lac County	5	
Green County	6	
Juneau County	4	
La Crosse County	21	
Marathon County	6	
Marinette County	5	1
Marquette County	4	
Milwaukee County	19	
Oconto County	3	
Outagamie County	1	
Price County	2	
Rock County	41	
Trempealeau County	1	
Washburn County	2	
Waupaca County	1	
Winnebago County	1	
Wood County	2	
Total	158	1

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.
Akron, Ohio	16	
Alameda, Cal	1	
Baltimore, Md	1	
Butte, Mont	10	
Cairo, Ill	2	
Canton, Ohio	2	
Chicago, Ill	12	
Cleveland, Ohio	11	
Coffeyville, Kans	1	
Covington, Ky	1	
Danville, Ill	4	
Dayton, Ohio	3	
Denver, Colo	1	
Detroit, Mich	7	
Dubuque, Iowa	5	
Duluth, Minn	5	
Erie, Pa	10	
Evansville, Ind	4	
Flint, Mich	7	
Fort Wayne, Ind	2	
Fort Worth, Tex	2	
Galesburg, Ill	1	
Galveston, Tex	2	
Grand Rapids, Mich	2	
Harrisburg, Pa	1	
Indianapolis, Ind	8	
Kansas City, Kans	1	
Kansas City, Mo	1	
Lincoln, Nebr	1	
Little Rock, Ark	5	
Marinette, Wis	2	
Memphis, Tenn	17	
Milwaukee, Wis	13	
Minneapolis, Minn	22	
Muscatine, Iowa	3	
Nashville, Tenn	2	
New Britain, Conn	1	
New Orleans, La	4	
Oklahoma City, Okla	12	
Omaha, Nebr	10	
Philadelphia, Pa	3	
Pontiac, Mich	15	
Portland, Oreg	2	
Quincy, Ill	1	
Roanoke, Va	4	
Rockford, Ill	1	
St. Joseph, Mo	16	
St. Louis, Mo	14	
Sioux City, Iowa	10	
Springfield, Ill	2	
Superior, Wis	1	
Tacoma, Wash	1	
Terre Haute, Ind	7	
Toledo, Ohio	3	
Topeka, Kans	7	
Wheeling, W. Va	2	
Wichita, Kans	4	
Worcester, Mass	2	

TETANUS.

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.
Canton, Ohio		1
Evansville, Ind		1
Mobile, Ala		2
New York, N. Y	3	1
Philadelphia, Pa	1	1
Richmond, Va		1
Worcester, Mass	1	

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 996.

TYPHOID FEVER.

West Virginia—Charleston.

Epidemiologist Freeman reported that during the week ended June 16, 1917, 18 cases of typhoid fever were notified in Charleston, W. Va., making a total of 105 cases reported in that city since May 1, 1917.

State Reports for May, 1917.

Place.	New cases reported.
District of Columbia	10
Maryland:	
Baltimore City	27
Allegany County—	
Cumberland	1
Western Maryland Hospital	1
Anne Arundel County—	
Churchton	1
Davidsonville (R. D.)	1
Baltimore County—	
Lauraville	1
Glen Arm	1
Sparrows Point	1
Boring	1
Fullerton	1
Roland Park	1
Rockland	1
Mount Winans	1
Turner Station	1
Bengies (R. D.)	1
Carney	1
Carroll County—	
Mount Olive (R. D.)	1
Mount Airy	1
Union Bridge	1
Cecil County—	
Childs (R. D.)	1
Rising Sun	1
North East	2
Union Hospital	2
Charles County—	
Bentsville (R. D.)	1
LaPlata	1
Dorchester County—	
Cambridge (R. D.)	1
Lakesville	1
Toddville	1
Ragged Point	1
Frederick County—	
Buckeystown (R. D.)	1
Creagerstown	1
Frederick	1
Harford County—	
Havre de Grace	1
Prince Georges County—	
Capitol Heights	2
Queen Annes County—	
Winchester (R. D.)	1
Somerset County—	
Pocomoke City (R. D.)	1
Marion	1
Talbot County—	
Easton	1
Emergency Hospital	1
Washington County—	
Hancock	1
Hagerstown	3
Maryland—Continued.	
Wicomico County—	
Salisbury	2
Worcester County—	
Stockton (R. D.)	2
Berlin	1
Girdletree	1
Stockton	3
Total	81
Massachusetts:	
Berkshire County—	
Hinsdale (town)	1
North Adams	2
Bristol County—	
Attleboro	1
Dighton (town)	1
Fall River	5
New Bedford	2
Essex County—	
Amesbury (town)	2
Beverly	1
Gloucester	3
Haverhill	1
Lawrence	2
Lynn	4
Newburyport	1
Rowley (town)	3
Salem	1
Saugus (town)	1
Swampscott (town)	1
Hampden County—	
Springfield	3
Westfield (town)	2
Middlesex County—	
Arlington (town)	1
Cambridge	2
Everett	3
Lowell	3
Newton	2
Somerville	2
Watertown (town)	1
Norfolk County—	
Holbrook (town)	1
Stoughton (town)	1
Plymouth County—	
Brockton	1
Plymouth (town)	1
Suffolk County—	
Boston	11
Worcester County—	
Gardner (town)	2
Leominster (town)	1
Sterling (town)	1
Total	70

TYPHOID FEVER—Continued.

State Reports for May, 1917—Continued.

Place.	New cases reported.
New Hampshire:	
Coos County—	
Berlin	1
Hillsboro County—	
Manchester	1
Total	2
South Dakota:	
Minnehaha County	2
Bon Homme County	1
Total	3
Vermont:	
Addison County	1
Caledonia County	1
Chittenden County	2
Orange County	2
Washington County	1
Total	7
West Virginia:	
Boone County	2
Fayette County	5
Greenbrier County	5
Hancock County	1
Kanawha County	6
Charleston	45
McDowell County	3
Marshall County	1
West Virginia—Continued.	
Mineral County	1
Monongalia County	1
Monroe County	2
Ohio County—	
Wheeling	2
Raleigh County	1
Summers County	2
Taylor County	3
Tyler County	1
Wood County—	
Parkersburg	2
Total	83
Wisconsin:	
Brown County	2
Dane County	1
Door County	8
Douglas County	2
Eau Claire	2
Fond du Lac County	1
Kenosha County	2
Marinette County	1
Milwaukee County	12
Outagamie County	3
Polk County	1
Rusk County	1
Washington County	2
Total	38

City Reports for Week Ended June 2, 1917.

Place.	Cases.	Deaths.
Akron, Ohio	1	
Alameda, Cal	1	1
Albany, N. Y	1	
Altoona, Pa	2	
Baltimore, Md	4	1
Birmingham, Ala	4	1
Boston, Mass	6	1
Braddock, Pa	1	
Buffalo, N. Y	3	1
Cambridge, Mass	1	
Camden, N. J	2	
Charleston, S. C	4	
Chicago, Ill	1	
Cincinnati, Ohio	1	
Cleveland, Ohio	2	
Columbus, Ohio	1	1
Cumberland, Md	1	
Danville, Ill	1	
Dayton, Ohio		1
Denver, Colo	2	1
Detroit, Mich	7	1
Evansville, Ind	1	
Everett, Wash	4	
Fall River, Mass	2	
Flint, Mich	1	
Galesburg, Ill	1	
Galveston, Tex	1	1
Indianapolis, Ind	1	
Johnstown, Pa	1	
Kokomo, Ind	1	
Lancaster, Pa	2	
Lawrence, Mass	1	
Lincoln, Nebr	1	
Lorain, Ohio	1	
Los Angeles, Cal	2	1
Lynchburg, Va	2	
Memphis, Tenn	4	
Milwaukee, Wis	2	
Mobile, Ala	3	1
Nashville, Tenn		1
Newark, N. J	1	
New Haven, Conn	1	1
New Orleans, La	3	4
Newton, Mass	2	
New York, N. Y	26	5
Oakland, Cal	1	
Philadelphia, Pa	25	5
Pittsburgh, Pa	3	4
Pontiac, Mich	1	
Portland, Me	3	
Portland, Oreg	1	
Reading, Pa		1
Rocky Mount, N. C	1	
St. Louis, Mo	8	
Salt Lake City, Utah	2	
San Francisco, Cal		1
Schenectady, N. Y	1	
Somerville, Mass	2	
South Bend, Ind	2	1
Terre Haute, Ind		1
Toledo, Ohio	3	
Topeka, Kans	1	1
Troy, N. Y	1	
Washington, D. C	2	
Watertown, N. Y	1	
Wheeling, W. Va		2
Winston-Salem, N. C	2	
Worcester, Mass	1	
Zanesville, Ohio	1	1

TYPHUS FEVER.

California—Los Banos.

The California State Board of Health reported that during the week ended June 16, 1917, one case of typhus fever was notified at Los Banos, Merced County, Cal.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for May, 1917.

State.	Cases reported.			State.	Cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
District of Columbia	25	852	29	South Dakota	6	111	58
Maryland	105	2,665	126	Vermont	22	1,772	57
Massachusetts	876	4,211	567	West Virginia	35	345	30
New Hampshire	23	706	39	Wisconsin	215	1,367	890

City Reports for Week Ended June 2, 1917.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md	589,621	197	7	4	294	1	8		73	25
Boston, Mass	756,476	271	73	7	238	3	23		41	21
Chicago, Ill	2,497,722	812	194	24	893	9	352	13	185	94
Cleveland, Ohio	674,073	227	37	3	123		12		29	29
Detroit, Mich	571,784	233	100	7	39	7	103	4	26	18
Los Angeles, Cal	503,812		1		115		19		62	16
New York, N. Y	5,602,841	1,458	337	29	1,301	21	165	4	191	182
Philadelphia, Pa	1,709,518	522	72	7	229		39	1	77	81
Pittsburgh, Pa	579,090	231	32		184	1	13		23	17
St. Louis, Mo	757,309	197	66	4	149	5	103	4	48	19
From 300,000 to 500,000 inhabitants:										
Buffalo, N. Y	468,558	116	17	1	75		18		32	12
Cincinnati, Ohio	410,476	126	15	2	52		5		31	20
Jersey City, N. J	308,345	87	10	1	87		31	1	22	7
Milwaukee, Wis	436,535	98	12	1	60	1	88	1	18	5
Minneapolis, Minn	363,454		14		45		18			
Newark, N. J	408,894	109	15	1	65		12		63	14
New Orleans, La	371,747		8	1	4		2		33	19
San Francisco, Cal	463,516	124	19		84		11		24	13
Seattle, Wash	348,639	62			34		3		16	4
Washington, D. C	363,980	112	6		182		7	2	24	11
From 200,000 to 300,000 inhabitants:										
Columbus, Ohio	214,878	70	4		5		7		9	6
Denver, Colo	260,800		12		55		9			12
Indianapolis, Ind	271,708		17		141		26		14	
Kansas City, Mo	297,847	91	8	2	39		30	1	2	5
Portland, Oreg	295,463	44	1		6		10	1	2	5
Providence, R. I	254,960	79	7	2	9	1	9	1	1	6
Rochester, N. Y	256,417		6		151		18		12	
From 100,000 to 200,000 inhabitants:										
Albany, N. Y	104,199		2		40		3		7	
Birmingham, Ala	181,762	88			29	1			14	14
Bridgeport, Conn	121,579	38	2		16		1		7	4
Cambridge, Mass	112,981	31	12		86		5		3	7
Camden, N. J	106,233		3		27		2		3	
Dayton, Ohio	127,224	35			55	1	19			3
Fall River, Mass	128,366	42	4		96	2		1	7	10
Fort Worth, Tex	104,562	16			2				1	
Grand Rapids, Mich	128,291	44	3		81		7		7	5
Hartford, Conn	110,900	53	7		28		2		7	1
Lawrence, Mass	100,560	25	6	1	1				3	3

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended June 2, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 100,000 to 200,000 inhabitants—Continued.										
Lowell, Mass	113,245	52	26	1	4		2		6	4
Lynn, Mass	102,425	24	2		12		6	1	4	1
Memphis, Tenn	148,995	52	2	1	10		3	1	32	7
Nashville, Tenn	117,057	38			4				6	4
New Bedford, Mass	118,158	35	2		38		6		6	2
New Haven, Conn	149,685		3		138	2	3		5	2
Oakland, Cal	198,604	42	2		10		5		1	3
Omaha, Nebr	165,470	42	2		67		42	1	1	4
Reading, Pa	109,381	48	2		1		4		1	3
Richmond, Va	156,687	45	2		29		2		8	6
Salt Lake City, Utah	117,399	22	1		3	1	16			
Springfield, Mass	105,942	22	12	2	98		5		3	1
Syracuse, N. Y	155,624	47	5		76		13		4	4
Tacoma, Wash	112,770		2		1		1			
Toledo, Ohio	191,554	71	3	1	44		33			6
Trenton, N. J	111,593	44	6		5	1	1		8	5
Worcester, Mass	163,314	40	5	1	7		4		12	5
From 50,000 to 100,000 inhabitants:										
Akron, Ohio	85,625		24		24				1	
Altoona, Pa	58,659		6		1		2			
Atlantic City, N. J	57,660				32		1		12	
Bayonne, N. J	69,893				2		1		1	
Berkeley, Cal	57,653	11			8				1	
Binghamton, N. Y	53,973	28	4		70		4		1	1
Brockton, Mass	67,449	16	3	1	1		1		3	1
Canton, Ohio	60,852	18	7	1	5		3		1	1
Charleston, S. C	60,734	33	1		2					3
Covington, Ky	57,144	20	1		6		4		1	4
Duluth, Minn	94,495	24	4		42				3	1
Elizabeth, N. J	86,690	20	6				4		2	4
El Paso, Tex	63,705	68			15	3	1			7
Erie, Pa	75,195		4		46		5		6	39
Evansville, Ind	76,078	20	1					1	1	1
Flint, Mich	54,772	12	4	1	25		11		7	
Fort Wayne, Ind	76,183	13			10		4		2	
Harrisburg, Pa	72,015	28	2		20		2		3	2
Hoboken, N. J	77,214	17	2		8		6		2	2
Johnstown, Pa	68,529	19	1		43		2			1
Kansas City, Kans	99,437				8		10		3	
Lancaster, Pa	50,853				19		3		1	
Little Rock, Ark	57,343	15			5				2	
Malden, Mass	51,155	14	14	1	30		1		3	
Manchester, N. H	78,283	19			2		1		4	4
Mobile, Ala	58,221	28			5	1				2
New Britain, Conn	53,794	16					2		6	1
Norfolk, Va	89,612				19		1		4	5
Oklahoma City, Okla	92,943	20	1		4		2			1
Passaic, N. J	71,744	21	1		2				2	2
Pawtucket, R. I	59,411	13	3				1			1
Portland, Me	63,867	17	1		14		3			1
Rockford, Ill	55,185	13	1		38		9		1	1
Sacramento, Cal	66,895	27	2		9				5	4
St. Joseph, Mo	85,236	32	2		5		3		3	5
San Diego, Cal	53,330	24			51					3
Schenectady, N. Y	99,519	10	1		66	1	5		4	1
Sioux City, Iowa	57,078						14			
Somerville, Mass	87,039	20	8		7		2		4	3
South Bend, Ind	68,946	17	1		20		10		1	1
Springfield, Ill	61,120	21	2		6		1			
Terra Haute, Ind	66,083	14	1		14					1
Troy, N. Y	77,916		2	1		1	7			6
Wichita, Kans	70,722				7		3		1	
Wilkes-Barre, Pa	76,776	16	1		46					2
Wilmington, Del	94,265	36			10		2		5	
York, Pa	51,656		1							
From 25,000 to 50,000 inhabitants:										
Alameda, Cal	27,732	7			4					
Auburn, N. Y	37,385	9	1							

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended June 2, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabitants—Continued.										
Brookline, Mass	32,730	4			14					1
Butler, Pa	27,632	5	2		1		1			
Butte, Mont	43,425				6		2			
Chelsea, Mass	46,192	16	3	1	6		1		3	1
Chicopee, Mass	29,319	8							2	2
Cumberland, Md	26,074	4	1		4					
Danville, Ill	32,261	7			10		1		1	
Davenport, Iowa	48,811		2		13		1			
Dubuque, Iowa	39,873		1						2	2
East Chicago, Ind	28,743		2		19		6			1
East Orange, N. J	42,458	8			11					
Elgin, Ill	28,203	7	2	1	4		2		1	1
Everett, Mass	39,233	8	3		14		2			1
Everett, Wash	35,486	3			1		1			
Fitchburg, Mass	41,781	5	2		11		1		1	1
Galveston, Tex	41,863	20	3							1
Green Bay, Wis	29,353	11								
Haverhill, Mass	48,477	7	3		1		5		2	
Jackson, Mich	35,363	13	2		38		4			
Kalamazoo, Mich	48,886		2		130		4		1	3
Kenosha, Wis	31,576	3			117					
Kingston, N. Y	26,771	11								2
Knoxville, Tenn	38,676				1				1	
La Crosse, Wis	31,677	10	5				1		1	1
Lexington, Ky	41,097	19			7					1
Lima, Ohio	35,384	7			7		3			1
Lincoln, Nebr	46,515	9	1		24		12			
Long Beach, Cal	27,587	13			1		2		1	
Lorain, Ohio	36,964				2		1		1	
Lynchburg, Va	32,940	13			10					
Madison, Wis	30,699	3			2		8			2
McKeesport, Pa	47,521	21			3					
Medford, Mass	26,234	13	4		12		1		1	1
Montclair, N. J	26,318	3							4	
Nashua, N. H	27,327	7	1		21	1			3	
Newburgh, N. Y	29,603	12			2				1	
New Castle, Pa	41,133		2		2		2			
Newport, Ky	31,927	8							1	1
Newport, R. I	30,108	27	1							1
Newton, Mass	43,715	13			23				2	
Niagara Falls, N. Y	37,353	14			38					
Norristown, Pa	31,401	6			2				1	
Orange, N. J	33,080	14	2		4		2		1	5
Pasadena, Cal	46,450	43			10				2	
Perth Amboy, N. J	41,185	4			3		1		1	
Pittsfield, Mass	38,629	17	1		67				4	
Portsmouth, Va	39,651	9			8		6	1		
Quincy, Ill	36,798	15			2		2			1
Quincy, Mass	38,136	13	2	1						2
Racine, Wis	46,486	22			4		5		1	1
Roanoke, Va	43,284	13	3		3				3	6
San Jose, Cal	38,902		6		19				1	
Superior, Wis	46,226	8					3			1
Taunton, Mass	36,283	6	2			1	1			
Topeka, Kans	48,726	9	1		7		1		2	
Waltham, Mass	30,570	12	1		8		1			2
Watertown, N. Y	29,894	9	1		5					
West Hoboken, N. J	43,139	13	2	1	24		5		2	1
Wheeling, W. Va	43,377		1		1					4
Williamsport, Pa	33,809		2		21		2			
Winston-Salem, N. C	31,155	22			2				1	2
Zanesville, Ohio	30,863	11			1		1			1
From 10,000 to 25,000 inhabitants:										
Alton, Ill	22,874	8	2		9					1
Ann Arbor, Mich	15,010	15	3		42		4		3	
Beaver Falls, Pa	13,532		1		2					
Berlin, N. H	13,599	5			2				3	2

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended June 2, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 10,000 to 25,000 inhabitants—Continued.										
Braddock, Pa	21,685		4		7				1	
Cairo, Ill	15,794	7								1
Clinton, Mass	[1] 13,075	5			9				2	
Coffeyville, Kans	17,548		1		4					
Concord, N. H	22,669	10			26					
Galesburg, Ill	24,276	4	1		28					
Harrison, N. J	16,950				7				2	
Kearny, N. J	23,539	6			6					
Kokomo, Ind	20,930	7	1				1		1	
Long Branch, N. J	15,395	1			5				1	
Marinette, Wis	[1] 14,610	4					1			
Melrose, Mass	17,445	6			18					
Morristown, N. J	13,284	5			2		1		1	
Muscatine, Iowa	17,500				1		5			
Nanticoke, Pa	23,126	5								
Newburyport, Mass	15,243	3			7					
New London, Conn	20,985	1			4					
North Adams, Mass	[1] 22,019				23					
Northampton, Mass	19,926	10			30		1		3	1
Plainfield, N. J	23,805	3			5					1
Pontiac, Mich	17,524				17		9	1	1	1
Portsmouth, N. H	11,666		1		6		2			
Rocky Mount, N. C	12,067	2								
Rutland, Vt	14,831	7			1		3			2
Sandusky, Ohio	20,193				2					
Saratoga Springs, N. Y	13,821	6								
Steelton, Pa	15,548	4	1		11		1		1	
Washington, Pa	21,618								1	
Wilkinsburg, Pa	23,228				2		1		1	10

[1] Population April 15, 1910; no estimate made.